



PETER COCKS POCKET GUIDE



Effective January 2020

MAINS PRESSURE

SKU	PRODUCT DESCRIPTION					STATUS
Mains Pressure Stainless Steel Cylinders STOCK or MADE TO ORDER MODELS						
4548STD	PC MPSS	45L	485×530H	2kW		MTO
4548STD3	PC MPSS	45L	485×530H	3kW		MTO
9048STD	PC MPSS	90L	485×940H	2kW		MTS
9048STD3	PC MPSS	90L	485×940H	3kW		MTO
13548STD	PC MPSS	135L	485×1365H	2kW		MTS
13548STD3	PC MPSS	135L	485×1365H	3kW		MTS
13556STD	PC MPSS	135L	560×1010H	2kW		MTS
13556STD3	PC MPSS	135L	560×1010H	3kW		MTS
18048STD	PC MPSS	180L	485×1765H	2kW		MTS
18048STD3	PC MPSS	180L	485×1765H	3kW		MTS
18056STD	PC MPSS	180L	560×1295H	2kW		MTS
18056STD3	PC MPSS	180L	560×1295H	3kW		MTS
250STD	PC MPSS	250L	560×1725H	3kW		MTS
300STD	PC MPSS	300L	560×2045H	3kW		MTS
18048SDB	PC MPSS	180L	485×1765H	2kW	DIRECT SOLAR	MTO
18048SDB3	PC MPSS	180L	485×1765H	3kW	DIRECT SOLAR	MTS
18056SDB	PC MPSS	180L	560×1295H	2kW	DIRECT SOLAR	MTS
18056SDB3	PC MPSS	180L	560×1295H	3kW	DIRECT SOLAR	MTS
200SDB	PC MPSS	200L	560×1450H	3kW	DIRECT SOLAR	MTS
250SDB	PC MPSS	250L	560×1725H	3kW	DIRECT SOLAR	MTS
300SDB	PC MPSS	300L	560×2045H	3kW	DIRECT SOLAR	MTS

Coiled Mains Pressure Stainless Steel

250SCB	PC MPSS	250L	560×1725H	3kW	Low Coil (Solar)	MTS
250SCBR	PC MPSS	250L	560×1725H	3kW	RH Low Coil (Solar)	MTO
300SCB	PC MPSS	300L	560×2045H	3kW	Low Coil (Solar)	MTS
300SCBR	PC MPSS	300L	560×2045H	3kW	RH Low Coil (Solar)	MTO
250STB	PC MPSS	250L	560×1725H	3kW	Mid Coil (Wetback)	MTS
250STBR	PC MPSS	250L	560×1725H	3kW	RH Mid Coil (Wetback)	MTS

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

NB: FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

Coiled Mains Pressure Stainless Steel (CONTINUED)

250STCB	PC MPSS	250L	560×1725H	3kW	Twin Coil	(Wetback & Solar)	MTS
300STB	PC MPS	300L	560×2045H	3kW	Mid Coil	(Wetback)	MTS
300STBR	PC MPSS	300L	560×2045H	3kW	RH Mid Coil	(Wetback)	MTS
300STCB	PC MPSS	300L	560×2045H	3kW	Twin Coil	(Wetback & Solar)	MTS

Mains Pressure Stainless Steel - CUSTOM MODELS

13543CUS	PC Custom MP	135L	430×1820H	3kW			CUST
13554CUS	PC Custom MP	135L	540×1045H	3kW			CUST
13556CUS	PC Custom MP	135L	560×1010H	3kW			CUST
15067CUS	PC Custom MP	150L	670×800H	3kW			CUST
18048CUS	PC Custom MP	180L	485×1780H	3kW			CUST
18054CUS	PC Custom MP	180L	540×1370H	3kW			CUST
18056CUS	PC Custom MP	180L	560×1295H	3kW			CUST
18057CUS	PC Custom MP	180L	575×1185H	3kW			CUST
18067CUS	PC Custom MP	180L	670×910H	3kW			CUST
20048CUS	PC Custom MP	200L	485×1960H	3kW			CUST
20056CUS	PC Custom MP	200L	560×1450H	3kW			CUST
20067CUS	PC Custom MP	200L	670×990H	3kW			CUST
25054CUS	PC Custom MP	250L	540×1820H	3kW			CUST
25056CUS	PC Custom MP	250L	560×1725H	3kW			CUST
25057CUS	PC Custom MP	250L	575×1585H	3kW			CUST
25067CUS	PC Custom MP	250L	670×1200H	3kW			CUST
25069CUS	PC Custom MP	250L	690×1100H	3kW			CUST
28054CUS	PC Custom MP	280L	540×2020H	3kW			CUST
28056CUS	PC Custom MP	280L	560×1900H	3kW			CUST
28067CUS	PC Custom MP	280L	670×1325H	3kW			CUST
30056CUS	PC Custom MP	300L	560×2045H	3kW			CUST
30057CUS	PC Custom MP	300L	575×1870H	3kW			CUST

Mains Pressure Stainless Steel - CUSTOM MODELS (CONTINUED)

30067CUS	PC Custom MP	300L	670×1410H	3kW	CUST
30069CUS	PC Custom MP	300L	690×1275H	3kW	CUST
33057CUS	PC Custom MP	330L	575×2020H	3kW	CUST
35067CUS	PC Custom MP	350L	670×1630H	3kW	CUST
35069CUS	PC Custom MP	350L	690×1455H	3kW	CUST
40067CUS	PC Custom MP	400L	670×1830H	3kW	CUST
40069CUS	PC Custom MP	400L	690×1625H	3kW	CUST
45069CUS	PC Custom MP	450L	690×1820H	3kW	CUST

Full range of customised cylinders are available between 45 – 600Litres. If the required size/model is not found in this booklet, please contact a Peter Cocks sales representative for a quote

Coils

417003	PC 25MM	COIL STAINLESS STEEL	(6M LONG)
417001	PC 25MM	COIL STAINLESS STEEL	(12M LONG)
417002	PC 25MM	COIL STAINLESS STEEL	(18M LONG)
417007	PC 25MM	EXTRA COIL ST STEEL	(6M LONG)
417005	PC 25MM	EXTRA COIL ST STEEL	(12M LONG)
417006	PC 25MM	EXTRA COIL ST STEEL	(18M LONG)
417009	PC 25MM	FITTED COPPER COIL	(5M LONG)
417008	PC 25MM	FITTED COPPER COIL	(10M LONG)
417000	PC 20MM	FITTED COPPER COIL	(15M LONG)
417022	PC JUMBO	20MM CU COIL FITTED	(65M LONG)
417031	PC 25MM	COIL ST. ST. 670+ DIAM	(6M LONG)
417032	PC 25MM	COIL ST. ST. 670+ DIAM	(12M LONG)
417033	PC 25MM	COIL ST. ST. 670+ DIAM	(18M LONG)

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

NB: FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

Connections

417013	PC EXTRA	20MM COPPER CONNECTION
417014	PC EXTRA	20MM STAINLESS STEEL CONNECTION
417015	PC EXTRA	25MM STAINLESS STEEL CONNECTION
417016	PC EXTRA	32MM STAINLESS STEEL CONNECTION
417017	PC EXTRA	40MM STAINLESS STEEL CONNECTION
417018	PC EXTRA	50MM STAINLESS STEEL CONNECTION

Elements

411000	PC BOOSTER UNIT + ELEMENT 3kW & THERMOSTAT (COPPER)
417023	PC BOOSTER UNIT + ELEMENT 3kW & THERMOSTAT (STAINLESS STEEL)
417026	PC BOOSTER ELEMENT 3kW (MAINS PRESSURE)
417036	PC TITANIUM ELEMENT KIT WITH THERMOSTAT
320242	ELEMENT 2kW TI SCREW
320243	ELEMENT 2kW TI SCREW-IN LWD
320244	ELEMENT 3kW TI SCREW-IN
320245	ELEMENT 3kW TI SCREW-IN LWD

Misc.

411025	PC PROBE POCKET
417024	PC SOLAR SET - PROBES, CONNS
411034	PC THERMOPOCKET FOR SOLAR (COPPER ONLY)
417025	PC SOLAR UPGRADE - COPPER

LOW PRESSURE

SKU	PRODUCT DESCRIPTION	STATUS
417028	PC COATED DOME (CYLINDER END)	

Low Pressure Stainless Steel STOCK & MADE TO ORDER MODELS

LP13548STD	PC LPSS	135L	485×1365H	2kW	TRIPLE	MTO
LP13556STD	PC LPSS	135L	560×1010H	2kW	TRIPLE	MTS
LP18054STD	PC LPSS	180L	540×1360H	2kW	TRIPLE	MTS
LP18056STD	PC LPSS	180L	560×1295H	2kW	TRIPLE	MTS

Low Pressure Stainless Steel CUSTOM MODELS

LP13548STD3	PC LPSS CUST	135L	485×1365H	3kW	TRIPLE	CUST
LP13554STD	PC LPSS CUST	135L	540×1045H	2kW	TRIPLE	CUST
LP13556STD3	PC LPSS CUST	135L	560×1010H	3kW	TRIPLE	CUST
LP18048STD	PC LPSS CUST	180L	485×1780H	2kW	TRIPLE	CUST
LP18056STD3	PC LPSS CUST	180L	560×1295H	3kW	TRIPLE	CUST

Low Pressure Stainless Steel - Wetback STOCK & MADE TO ORDER MODELS

LP13556DSP	PC LPSSDUAL	135L	560×1020H	2kW	BT WETBACK	MTS
LP18054DSP	PC LPSSDUAL	180L	540×1370H	2kW	BT WETBACK	MTS
LP18054DSPL	PC LPSSDUAL	180L	540×1370H	2kW	LH WETBACK	MTS
LP18054DSPR	PC LPSSDUAL	180L	540×1370H	2kW	RH WETBACK	MTS
LP18056DSP	PC LPSSDUAL	180L	560×1295H	2kW	BT WETBACK	MTS

Low Pressure Stainless Steel - Wetback CUSTOM MODELS

LP13548DSP	PC LPSSDUAL CUST	135L	485×1395H	2kW	BT WETBACK	CUST
LP13556DSPL	PC LPSSDUAL CUST	135L	560×1020H	2kW	LH WETBACK	CUST
LP13556DSPR	PC LPSSDUAL CUST	135L	560×1020H	2kW	RH WETBACK	CUST
LP18048DSP	PC LPSSDUAL CUST	180L	485×1780H	2kW	BT WETBACK	CUST
LP18048DSPL	PC LPSSDUAL CUST	180L	485×1780H	2kW	LH WETBACK	CUST
LP18048DSPR	PC LPSSDUAL CUST	180L	485×1780H	2kW	RH WETBACK	CUST
LP18056DSPL	PC LPSSDUAL CUST	180L	560×1295H	2kW	LH WETBACK	CUST
LP18056DSPR	PC LPSSDUAL CUST	180L	560×1295H	2kW	RH WETBACK	CUST

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

NB: FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

SKU	PRODUCT DESCRIPTION					STATUS
Low Pressure Copper STOCK & MADE TO ORDER MODELS						
13US	PC LP	13L	350×360H	2kW	U/BENCH	MTS
22US	PC LP	22L	350×500H	2kW	U/BENCH	MTS
40US	PC LP	40L	460×500H	2kW	U/BENCH	MTS
4546ESP	PC LP	45L	460×560H	2kW	TRIPLE	MTS
6546ESP	PC LP	65L	460×750H	2kW	TRIPLE	MTO
9046ESP	PC LP	90L	460×1000H	2kW	TRIPLE	MTS
9051ESP	PC LP	90L	510×785H	2kW	TRIPLE	MTO
9054ESP	PC LP	90L	540×730H	2kW	TRIPLE	MTS
9536ESP	PC LP	95L	365×1670H	2kW	TWIN	MTO
110415ESP	PC LP	110L	415×1380H	2kW	TRIPLE	MTO
11046ESP	PC LP	110L	460×1200H	2kW	TRIPLE	MTO
11051ESP	PC LP	110L	510×950H	2kW	TRIPLE	MTO
11054ESP	PC LP	110L	540×900H	2kW	TRIPLE	MTO
12043ESP	PC LP	120L	430×1425H	2kW	TRIPLE	MTO
135415ESP	PC LP	135L	415×1810H	2kW	TRIPLE	MTO
13546ESP	PC LP	135L	460×1470H	2kW	TRIPLE	MTS
13548ESP	PC LP	135L	485×1310H	2kW	TRIPLE	MTS
13551ESP	PC LP	135L	510×1140H	2kW	TRIPLE	MTS
13554ESP	PC LP	135L	540×1045H	2kW	TRIPLE	MTS
13556ESP	PC LP	135L	560×950H	2kW	TRIPLE	MTS
13561ESP	PC LP	135L	610×820H	2kW	TRIPLE	MTO
15551ESP	PC LP	155L	510×1300H	2kW	TRIPLE	MTO
17556ESP	PC LP	175L	560×1224H	2kW	TRIPLE	MTO
18047ESP	PC LP	180L	470×1900H	2kW	TRIPLE	MTS
18049ESP	PC LP	180L	490×1670H	2kW	TRIPLE	MTS
18051ESP	PC LP	180L	510×1520H	2kW	TRIPLE	MTS
18054-1ESP	PC LP	180L	540×1360H	2kW	TRIPLE	MTS
18054-1ESP3	PC LP	180L	540×1360H	3kW	TRIPLE	MTO
18056ESP	PC LP	180L	560×1290H	2kW	TRIPLE	MTS
18061ESP	PC LP	180L	610×1030H	2kW	TRIPLE	MTS

SKU	PRODUCT DESCRIPTION			STATUS	
Low Pressure Copper STOCK & MADE TO ORDER MODELS (CONTINUED)					
20056ESP	PC LP	200L	560×1450H 3kW	TRIPLE	MTO
22551ESP	PC LP	225L	510×1900H 3kW	TRIPLE	MTO
22554ESP	PC LP	225L	540×1650H 3kW	TRIPLE	MTS
22556ESP	PC LP	225L	560×1550H 3kW	TRIPLE	MTS
22561ESP	PC LP	225L	610×1260H 3kW	TRIPLE	MTO
25056ESP	PC LP	250L	560×1720H 3kW	TRIPLE	MTO
27054ESP	PC LP	270L	540×1980H 3kW	TRIPLE	MTS
27056ESP	PC LP	270L	560×1800H 3kW	TRIPLE	MTS
27061ESP	PC LP	270L	610×1490H 3kW	TRIPLE	MTS
27070ESP	PC LP	270L	700×1100H 3kW	TRIPLE	MTO
30056ESP	PC LP	300L	560×2020H 3kW	SINGLE	MTO
30070ESP	PC LP	300L	700×1220H 3kW	SINGLE	MTO
36061ESP	PC LP	360L	610×1900H 3kW	SINGLE	MTO
36070ESP	PC LP	360L	700×1490H 3kW	SINGLE	MTO
45070ESP	PC LP	450L	700×1900H 3kW	SINGLE	MTO

Low Pressure Copper - Tank Attached STOCK & MADE TO ORDER MODELS					
11051CM	PC LP	110L	510×1310H 2kW	TANK ATTACHED	MTO
13554CM	PC LP	135L	540×1400H 2kW	TANK ATTACHED	MTO
13556CM	PC LP	135L	560×1320H 2kW	TANK ATTACHED	MTO
18056CM	PC LP	180L	560×1650H 2kW	TANK ATTACHED	MTO
18061CM	PC LP	180L	610×1385H 2kW	TANK ATTACHED	MTO

Cistern Tanks (all complete with external supply)				
PCCMS	PC Cistern Tank	30L	460 × 260	SML
PCCMM	PC Cistern Tank	45L	460 × 360	MED
PCCML	PC Cistern Tank	75L	560 × 360	LRG

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

NB: FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

SKU	PRODUCT DESCRIPTION					STATUS
Low Pressure Copper - Wetback STOCK & MADE TO ORDER MODELS						
4546DSP	PC LPDUAL	45L	460×560H	2kW	BTM WETBACK	MTO
4546DSPL	PC LPDUAL	45L	460×560H	2kW	LH WETBACK	MTO
4546DSPR	PC LPDUAL	45L	460×560H	2kW	RH WETBACK	MTO
6546DSP	PC LPDUAL	65L	460×750H	2kW	BTM WETBACK	MTO
6546DSPL	PC LPDUAL	65L	460×750H	2kW	LH WETBACK	MTO
6546DSPR	PC LPDUAL	65L	460×750H	2kW	RH WETBACK	MTO
9046DSP	PC LPDUAL	90L	460×1000H	2kW	BTM WETBACK	MTO
9046DSPL	PC LPDUAL	90L	460×1000H	2kW	LH WETBACK	MTO
9046DSPR	PC LPDUAL	90L	460×1000H	2kW	RH WETBACK	MTO
9054DSP	PC LPDUAL	90L	540×730H	2kW	BTM WETBACK	MTO
9054DSPL	PC LPDUAL	90L	540×730H	2kW	LH WETBACK	MTO
9054DSPR	PC LPDUAL	90L	540×730H	2kW	RH WETBACK	MTO
11046DSP	PC LPDUAL	110L	460×1200H	2kW	BTM WETBACK	MTO
11046DSPL	PC LPDUAL	110L	460×1200H	2kW	LH WETBACK	MTO
11046DSPR	PC LPDUAL	110L	460×1200H	2kW	RH WETBACK	MTO
12051DSP	PC LPDUAL	120L	510×1000H	2kW	BTM WETBACK	MTO
12051DSPL	PC LPDUAL	120L	510×1000H	2kW	LH WETBACK	MTO
12051DSPR	PC LPDUAL	120L	510×1000H	2kW	RH WETBACK	MTO
13546DSP	PC LPDUAL	135L	460×1470H	2kW	BTM WETBACK	MTO
13546DSPL	PC LPDUAL	135L	460×1470H	2kW	LH WETBACK	MTO
13546DSPR	PC LPDUAL	135L	460×1470H	2kW	RH WETBACK	MTO
13548DSP	PC LPDUAL	135L	480×1310H	2kW	RH WETBACK	MTO
13548DSPL	PC LPDUAL	135L	480×1310H	2kW	LH WETBACK	MTO
13548DSPR	PC LPDUAL	135L	480×1310H	2kW	RH WETBACK	MTO
13551DSP	PC LPDUAL	135L	510×1140H	2kW	BTM WETBACK	MTO
13551DSPL	PC LPDUAL	135L	510×1140H	2kW	LH WETBACK	MTO
13551DSPR	PC LPDUAL	135L	510×1140H	2kW	RH WETBACK	MTO
13554DSP	PC LPDUAL	135L	540×1045H	2kW	BTM WETBACK	MTO
13554DSPL	PC LPDUAL	135L	540×1045H	2kW	LH WETBACK	MTO
13554DSPR	PC LPDUAL	135L	540×1045H	2kW	RH WETBACK	MTO
13556DSP	PC LPDUAL	135L	560×950H	2kW	BTM WETBACK	MTO

SKU	PRODUCT DESCRIPTION					STATUS
Low Pressure Copper - Wetback STOCK & MADE TO ORDER MODELS (CONTINUED)						
13556DSPL	PC LPDUAL	135L	560×950H	2kW	LH WETBACK	MTO
13556DSPR	PC LPDUAL	135L	560×950H	2kW	RH WETBACK	MTO
13561DSP	PC LPDUAL	135L	610×820H	2kW	BTM WETBACK	MTO
13561DSPL	PC LPDUAL	135L	610×820H	2kW	LH WETBACK	MTO
13561DSPR	PC LPDUAL	135L	610×820H	2kW	RH WETBACK	MTO
15551DSP	PC LPDUAL	155L	510×1300H	2kW	BTM WETBACK	MTO
15551DSPL	PC LPDUAL	155L	510×1300H	2kW	LH WETBACK	MTO
15551DSPR	PC LPDUAL	155L	510×1300H	2kW	RH WETBACK	MTO
17556DSP	PC LPDUAL	175L	560×1224H	2kW	BTM WETBACK	MTO
17556DSPL	PC LPDUAL	175L	560×1224H	2kW	LH WETBACK	MTO
17556DSPR	PC LPDUAL	175L	560×1224H	2kW	RH WETBACK	MTO
18047DSP	PC LPDUAL	180L	470×1900H	2kW	BTM WETBACK	MTO
18047DSPL	PC LPDUAL	180L	470×1900H	2kW	LH WETBACK	MTO
18047DSPR	PC LPDUAL	180L	470×1900H	2kW	RH WETBACK	MTO
18049DSP	PC LPDUAL	180L	490×1670H	2kW	BTM WETBACK	MTO
18049DSPL	PC LPDUAL	180L	490×1670H	2kW	LH WETBACK	MTO
18049DSPR	PC LPDUAL	180L	490×1670H	2kW	RH WETBACK	MTO
18051DSP	PC LPDUAL	180L	510×1520H	2kW	BTM WETBACK	MTS
18051DSPL	PC LPDUAL	180L	510×1520H	2kW	LH WETBACK	MTO
18051DSPR	PC LPDUAL	180L	510×1520H	2kW	RH WETBACK	MTO
18054DSP	PC LPDUAL	180L	540×1360H	2kW	BTM WETBACK	MTS
18054DSPL	PC LPDUAL	180L	540×1360H	2kW	LH WETBACK	MTS
18054DSPR	PC LPDUAL	180L	540×1360H	2kW	RH WETBACK	MTS
18054DSP3	PC LPDUAL	180L	540×1360H	3kW	BTM WETBACK	MTO
18056DSP	PC LPDUAL	180L	560×1290H	2kW	BTM WETBACK	MTS
18056DSPL	PC LPDUAL	180L	560×1290H	2kW	LH WETBACK	MTS
18056DSPR	PC LPDUAL	180L	560×1290H	2kW	RH WETBACK	MTS
18061DSP	PC LPDUAL	180L	610×1030H	2kW	BTM WETBACK	MTO
18061DSPL	PC LPDUAL	180L	610×1030H	2kW	LH WETBACK	MTO
18061DSPR	PC LPDUAL	180L	610×1030H	2kW	RH WETBACK	MTO

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

NB: FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

SKU	PRODUCT DESCRIPTION					STATUS
Low Pressure Copper - Wetback STOCK & MADE TO ORDER MODELS (CONTINUED)						
22554DSP	PC LPDUAL	225L	540×1650H	3kW	BTM WETBACK	MTO
22554DSPL	PC LPDUAL	225L	540×1650H	3kW	LH WETBACK	MTO
22554DSPR	PC LPDUAL	225L	540×1650H	3kW	RH WETBACK	MTO
22556DSP	PC LPDUAL	225L	560×1550H	3kW	BTM WETBACK	MTS
22556DSPL	PC LPDUAL	225L	560×1550H	3kW	LH WETBACK	MTO
22556DSPR	PC LPDUAL	225L	560×1550H	3kW	RH WETBACK	MTO
22561DSP	PC LPDUAL	225L	610×1260H	3kW	BTM WETBACK	MTO
22561DSPL	PC LPDUAL	225L	610×1260H	3kW	LH WETBACK	MTO
22561DSPR	PC LPDUAL	225L	610×1260H	3kW	RH WETBACK	MTO
27054DSP	PC LPDUAL	270L	540×1980H	3kW	BTM WETBACK	MTO
27054DSPL	PC LPDUAL	270L	540×1980H	3kW	LH WETBACK	MTO
27054DSPR	PC LPDUAL	270L	540×1980H	3kW	RH WETBACK	MTO
27056DSP	PC LPDUAL	270L	560×1800H	3kW	BTM WETBACK	MTS
27056DSPL	PC LPDUAL	270L	560×1800H	3kW	LH WETBACK	MTO
27056DSPR	PC LPDUAL	270L	560×1800H	3kW	RH WETBACK	MTO
27061DSP	PC LPDUAL	270L	610×1490H	3kW	BTM WETBACK	MTS
27061DSPL	PC LPDUAL	270L	610×1490H	3kW	LH WETBACK	MTO
27061DSPR	PC LPDUAL	270L	610×1490H	3kW	RH WETBACK	MTO
27070DSP	PC LPDUAL	270L	700×1100H	3kW	BTM WETBACK	MTO
27070DSPL	PC LPDUAL	270L	700×1100H	3kW	LH WETBACK	MTO
27070DSPR	PC LPDUAL	270L	700×1100H	3kW	RH WETBACK	MTO
36061DSP	PC LPDUAL	360L	610×1900H	3kW	BTM WETBACK	MTO
36061DSPL	PC LPDUAL	360L	610×1900H	3kW	LH WETBACK	MTO
36061DSPR	PC LPDUAL	360L	610×1900H	3kW	RH WETBACK	MTO
36070DSP	PC LPDUAL	360L	700×1490H	3kW	BTM WETBACK	MTO
36070DSPL	PC LPDUAL	360L	700×1490H	3kW	LH WETBACK	MTO
36070DSPR	PC LPDUAL	360L	700×1490H	3kW	RH WETBACK	MTO
45070DSP	PC LPDUAL	450L	700×1900H	3kW	BTM WETBACK	MTO
45070DSPL	PC LPDUAL	450L	700×1900H	3kW	LH WETBACK	MTO
45070DSPR	PC LPDUAL	450L	700×1900H	3kW	RH WETBACK	MTO

SKU	PRODUCT DESCRIPTION				STATUS
JUMBO - Low Pressure Copper (Low Pressure Tank with Mains Pressure Coil)					
18054HP	PC JUMBO	180L	540×1360H	BTM DUAL HP COIL	MTO
18056HP	PC JUMBO	180L	560×1295H	BTM DUAL HP COIL	MTO
27056HP	PC JUMBO	270L	560×1800H	BTM DUAL HP COIL	MTO
27061HP	PC JUMBO	270L	610×1490H	BTM DUAL HP COIL	MTO

Medium Pressure Copper STOCK & MADE TO ORDER MODELS

13UMPW	PC MEDP	13L	350×360H	2kW U/BENCH	MTO
22UMPW	PC MEDP	22L	350×500H	2kW U/BENCH	MTO
40UMPW	PC MEDP	40L	460×500H	2kW U/BENCH	MTO
4546MPW	PC MEDP	45L	460×560H	2kW TRIPLE	MTO
6546MPW	PC MEDP	65L	460×750H	2kW TRIPLE	MTO
9046MPW	PC MEDP	90L	460×1000H	2kW TRIPLE	MTO
9054MPW	PC MEDP	90L	540×730H	2kW TRIPLE	MTO
13546MPW	PC MEDP	135L	460×1470H	2kW TRIPLE	MTO
13548MPW	PC MEDP	135L	480×1310H	2kW TRIPLE	MTO
13551MPW	PC MEDP	135L	510×1140H	2kW TRIPLE	MTO
13554MPW	PC MEDP	135L	540×1045H	2kW TRIPLE	MTO
18047MPW	PC MEDP	180L	470×1900H	3kW TRIPLE	MTO
18049MPW	PC MEDP	180L	490×1670H	3kW TRIPLE	MTO
18051MPW	PC MEDP	180L	510×1520H	3kW TRIPLE	MTO
18054MPW	PC MEDP	180L	540×1360H	3kW TRIPLE	MTO
18056MPW	PC MEDP	180L	560×1290H	3kW TRIPLE	MTO
18061MPW	PC MEDP	180L	610×1030H	3kW TRIPLE	MTO
22551MPW	PC MEDP	225L	510×1900H	3kW TRIPLE	MTO
22554MPW	PC MEDP	225L	540×1640H	3kW TRIPLE	MTO
22556MPW	PC MEDP	225L	560×1550H	3kW TRIPLE	MTO
22561MPW	PC MEDP	225L	610×1260H	3kW TRIPLE	MTO
27054MPW	PC MEDP	270L	540×1980H	3kW TRIPLE	MTO
27056MPW	PC MEDP	270L	560×1800H	3kW TRIPLE	MTO
27061MPW	PC MEDP	270L	610×1490H	3kW TRIPLE	MTO
27070MPW	PC MEDP	270L	700×1100H	3kW TRIPLE	MTO

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

NB: FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

Medium Pressure Copper STOCK & MADE TO ORDER MODELS (CONTINUED)

30070MPW	PC MEDP	300L	700×1100H	3kW	TRIPLE	MTO
36061MPW	PC MEDP	360L	610×1900H	3kW		MTO
36070MPW	PC MEDP	360L	700×1490H	3kW		MTO
45070MPW	PC MEDP	450L	700×1900H	3kW		MTO

Full range of customised cylinders are available between 45 – 600Litres. If the required size/model is not found in this booklet, please contact a Peter Cocks sales representative for a quote

Chillinder

PCCH40	PC Chillinder	40L	460×500H
--------	---------------	-----	----------



DAIRY

SKU	PRODUCT DESCRIPTION			STATUS	
Dairy Low Pressure Copper					
18061D	PC DAIRY	180L	610×1300H	3kW	MTO
20061D	PC DAIRY	200L	610×1400H	3kW	MTO
22561D	PC DAIRY	225L	610×1530H	3kW	MTO
27061D	PC DAIRY	270L	610×1780H	3kW	MTO
27071D	PC DAIRY	270L	700×1950H	3kW	MTO
30061D	PC DAIRY	300L	610×1900H	3kW	MTO
35061D	PC DAIRY	350L	610×2170H	2×3kW	MTO
35071D	PC DAIRY	350L	710×1750H	2×3kW	MTO
35080D	PC DAIRY	350L	800×1320H	2×3kW	MTO
40071D	PC DAIRY	400L	710×1950H	2×3kW	MTO
40080D	PC DAIRY	400L	800×1510H	2×3kW	MTO
45071D	PC DAIRY	450L	710×2150H	2×3kW	MTO
45080D	PC DAIRY	450L	800×1640H	2×3kW	MTO
50080D	PC DAIRY	500L	800×1760H	2×3kW	MTO
55080D	PC DAIRY	550L	800×1900H	2×3kW	MTO
60080D	PC DAIRY	600L	800×2040H	2×3kW	MTO
70080D	PC DAIRY	700L	800×2300H	2×3kW	MTO
75080D	PC DAIRY	750L	800×2500H	2×3kW	MTO
80010D	PC DAIRY	800L	1020×1670H	3×3kW	MTO
100010D	PC DAIRY	1000L	1020×2000H	3×3kW	MTO

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

NB: FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

ACCESSORIES

SKU PRODUCT DESCRIPTION

Elements

319099	PC ELEMENT	INCOLOY	1kW
319100	PC ELEMENT	INCOLOY	2kW
319101	PC ELEMENT	INCOLOY	3kW
320165	PC ELEMENT	INCOLOY	5kW
319105	PC ELEMENT	INCOLOY	6kW 2×3kW
319127	PC ELEMENT		2kW TITANIUM
319128	PC ELEMENT		2kW TITANIUM LWD
319129	PC ELEMENT		3kW TITANIUM
319130	PC ELEMENT		3kW TITANIUM LWD
417026	PC BOOSTER ELEMENT		3kW (MAINS PRESSURE)
417036	PC TITANIUM ELEMENT KIT WITH THERMOSTAT		
411020	PC THERMOSTAT VALVE VENTED		11" ROD
411021	PC THERMOSTAT OPEN VENTED		11" ROD
052016	PC THERMOSTAT		60-80 ST551
411018	PC THERMOSTAT		50/100 DAIRY
09002	PC THERMOSTAT		50-70 S/SHOT OTC ST 1301133
317312	THERMOSTAT R/S		ST1001130 70°C SGL POLE
317659	THERMOSTAT R/S		ST1006250 95DEG SGL POLE

Drip Trays

417019	PC GALV DRIP TRAY ROUND		660MM DIAMETER
417020	PC GALV DRIP TRAY ROUND		800MM DIAMETER
417030	PC GALV DRIP TRAY RECTANGLE		CUSTOM UP TO 1100MM WIDTH

Valves

415018	PC 20MM VALVE ECONOPACK		
415014	PC SOLAR COMBO 20MM VALVE PACK		
415020	PC SOLAR HEATGUARD TEMPERING VALVE		

Coils

417003	PC 25MM	COIL STAINLESS STEEL	(6M LONG)
417001	PC 25MM	COIL STAINLESS STEEL	(12M LONG)
417002	PC 25MM	COIL STAINLESS STEEL	(18M LONG)
417007	PC 25MM	EXTRA COIL ST STEEL	(6M LONG)
417005	PC 25MM	EXTRA COIL ST STEEL	(12M LONG)
417006	PC 25MM	EXTRA COIL ST STEEL	(18M LONG)
417009	PC 25MM	FITTED COPPER COIL	(5M LONG)
417008	PC 25MM	FITTED COPPER COIL	(10M LONG)
417000	PC 20MM	FITTED COPPER COIL	(15M LONG)
417021	PC JUMBO	15MM CU COIL FITTED	(55M LONG)
417022	PC JUMBO	20MM CU COIL FITTED	(65M LONG)
417031	PC 25MM	COIL ST. ST. 670+ DIAM	(6M LONG)
417032	PC 25MM	COIL ST. ST. 670+ DIAM	(12M LONG)
417033	PC 25MM	COIL ST. ST. 670+ DIAM	(18M LONG)

Connections

417013	PC EXTRA 20MM COPPER CONNECTION
417014	PC EXTRA 20MM STAINLESS STEEL CONNECTION
417015	PC EXTRA 25MM STAINLESS STEEL CONNECTION
417016	PC EXTRA 32MM STAINLESS STEEL CONNECTION
417017	PC EXTRA 40MM STAINLESS STEEL CONNECTION
417018	PC EXTRA 50MM STAINLESS STEEL CONNECTION

Misc.

412012	PC FS OETIKER (SITE TUBE) CLIP 9-11MM
413001	PC ELEMENT COVER (GALVANISED)
415506	PC TEMP GAUGE ST. ST. BAUMER
415507	PC TEMP GAUGE HOLDER ST. ST. BAUMER
417004	PC 25MM COPPER BEND DAIRY OVERFLOW
417011	PC DAIRY SIGHTTUBE ASSEMBLY
417012	PC DAIRY SIGHTTUBE ASSEMBLY WITH TEMP GAUGE
411034	PC THERMOPOCKET FOR SOLAR (COPPER ONLY)



PETER COCKS FACTORY IN CHRISTCHURCH IN CA.1990

PETER COCKS DOMESTIC WARRANTY CHART

as of December 2019

		TANK (TANK REPLACEMENT ONLY, NO LABOUR)	TANK LABOUR	PARTS & LABOUR
MAINS PRESSURE				
	STAINLESS STEEL	10	3*	1
	STAINLESS STEEL COIL	10	3*	1
	CUSTOM	5	1	1
LOW PRESSURE				
	STAINLESS STEEL	10	3*	1
	STAINLESS STEEL WETBACK	10	3*	1
	COPPER	5	1	1
	COPPER WETBACK	5	1	1
	COPPER COIL	5	1	1
	JUMBO	5	1	1
MEDIUM PRESSURE	COPPER	5	1	1
DAIRY	LOW PRESSURE	5	1	1

* The increase on labour is effective for all standard Peter Cocks Stainless Steel models with a date of manufacture from Oct 1st 2017. Cylinders manufactured before 2017 have a 1 year warranty on Tank labour.

All warranties listed in this reference guide are for single family premises in a domestic application. For full warranty conditions please refer to the Peter Cocks installation guide, or go to www.petercocks.co.nz/warranty

PETER COCKS MODEL CODE LEGEND

LP 180 56 STD 3

1 2 3 4 5

1
KEY:
LP = Low Pressure
MP = Mains Pressure
SS = Stainless Steel
LP = LPSS
SP = Special (Custom) LP Copper
(If model starts with a number, this field is not applicable)

2
x x / x x x / x x x x = Overall Volume in L

3
x x = Overall Diameter in cm
(For 800L+ Dairy's, 10 refers to 102cm not 10cm. 200L+ MP S.S. exclude this field)

4
DSP = Electric + Wetback (LP Copper)
ESP = Electric (LP Copper)
D = Dairy (LP Copper)
US = Electric Under Sink (LP Copper)
UMPW = Electric Medium Pressure Unadersink (Copper)
MPW = Electric Medium Pressure (Copper)
CM = Cistern Model (Header Tank) (LP Copper)
HP = Jumbo (MP Copper Coil + LP Copper Cylinder)
CUS = Custom
STD = Electric
SDB = Electric + Direct Solar (MPSS)
SCB = Electric + Coil (Solar) + Direct Solar
STB = Electric + Coil (Wetback) + Direct Solar
STCB = Electric + Twin Coil (Wetback & Solar) (MPSS)

5
L = Left entry/exit version for coil/auxiliary port(s)
R = Right entry/exit version for coil/auxiliary port(s)
OD = Outdoor upgrade for custom models
3 = 3kW (Only for models with 2kW AND 3kW element options)

MTS = Made to Stock Items

MTO = Made to Order

Peter Cocks can manufacture these items after receiving a valid purchase order.
No custom form required.

CUST = Custom Made Order

Completed Custom Made Order Form is required to manufacture models that aren't listed as a MTS or MTO product in this booklet. To download this form go to www.petercocks.co.nz/pdfs

Delivery times for the above items are dependent on availability. Please contact the Peter Cocks Customer Service team on (03) 384 1360 to confirm delivery dates.



114 Maces Rd • Christchurch 8062

P: (03) 384 1360 • F: (03) 384 5903

E: info@petercocks.co.nz

www.petercocks.co.nz